

# DATASHEET



## APACHE® portal movable

### Cargo measurement, always there where you need it to be

- Movable system for the flexible use in changing positions or different locations, always there where it is needed the most
- By simply folding up the beams equipped with wheels, the device can be disassembled or pushed to its new position in no time
- Automatic measurement of cargo as well as an optional weighing and documentation with a camera
- Installation – Connection – Measuring and if applicable weighing
- 2 laser scanners on a motorized measuring beam detect the object
- The object is placed within the measuring zone and the measurement is started by a barcode scan or manually
- Transfer of the data to the customer data base – length, width, height, photo and weight are automatically transferred to your system through defined interfaces
- The entire measurement data is legally relevant due to the conformity assessment of the measurement system and can therefore be used for billing purposes
- The detection of freight that has been under-declared leads to a quick amortisation of the investment



Boelstrasse 7  
57518 Alsdorf  
Germany

Phone: +49 2741-9377-0

Fax.: +49 2741-9377-29

eMail: [info@akl-tec.de](mailto:info@akl-tec.de)



Find us on facebook  
[apache.akl](https://www.facebook.com/apache.akl)



Any Questions?  
[sales@akl-tec.de](mailto:sales@akl-tec.de)

### Technical data

#### Product Dimensions

360 (460) cm x 330 cm x 340 cm

#### Maximum package size\*

250 cm x 250 cm x 260 cm

Upon request: 250 cm x 350 cm x 280 cm

#### Division\*

2 cm / 2 cm / 1 cm

#### Minimum package size\*

20 cm x 20 cm x 10 cm

#### Movement speed

ca. 0,4 m/sec.

#### Platform Scale

200 cm x 200 cm, max. 2.000 kg (Upon request other dimensions and ranges are possible )

#### Power Requirements

200-250 VAC 16 A

#### Laser Safety Class

1

(safety measures are unnecessary even in case of continuous irradiation)